

**Sand Bags**

The KUPO solution to stabilizing equipment is supplied empty for economy of freight and means you can choose your preferred and locally available anchoring medium be it sand, shot, washer centers or lead weights to a maximum 35 lbs / 15 kg.


Designed in the versatile " sandlebag" system the Kupo bags can either drape over the leg of your stand or be hung on a cantilever arm from the robust side buckle supplied.



Featuring:

- Extra rivets combined with double stitching and Bias binding inside for maximum strength. Longer and wider carry strap for ease and comfort.
- A generous Velcro seal of the highest available quality to ensure your load remains secure.
- A Plated metal hanging point for secure non slip fixing in hanging mode.
- Double handle for easy use. One is short handle in the top ; The new design is the butterfly handle with Velcro on the back!
- Kupo Bags come with the Kupo lather logo on.

Butterfly Handle



**Custom Designs Welcome!**

**KSD-1680A**

Dimension : 24cm (9.5" ) x 18cm (7" ) x 5cm (2" )  
 Construction : Reinforced Double Ply Nylon  
 Maximum loaded weight : 15 lbs / 6 kg

**KSD-1680B**

Dimension : 30cm (11.8" ) x 24cm (9.5" ) x 6cm (2.4" )  
 Construction : Reinforced Double Ply Nylon  
 Maximum loaded weight : 25 lbs / 11 kg

**KSD-1680C**

Dimension : 36cm (14" ) x 33cm (13" ) x 6cm (2.4" )  
 Construction : Reinforced Double Ply Nylon  
 Maximum loaded weight : 35 lbs / 15 kg

Application



Cross is a hard case series for boundless exploration, designed and manufactured for giving greatest protection to equipment over heavy transportation or rigorous weather condition. Cross is engineered in high standard for catering to diverse demand from individuals, industrial users, government or even military department. Born to cross the boundary where extreme limit is invisible.



**CX5219**

Anti-static enclosure, providing sophisticated electronic equipment a safe and reliable container to carry.



Wide variety selections for diverse needs.




Reinforcement at corner for max toughness and durability.



Made of injection-molded PP compound for the advantage of anti-rust, corrosion free, dust-proof and impact resistant.

Patent locking latch ensures two shells firm lock and prevents unexpected pop-up.



Rubber O-ring at the rim of upper shell offers excellent water-tightness.



Traveling noise is greatly eliminated by rubber-encapsulated nylon caster, making it quite silent on the go (for models with casters only).



Enhanced hinge engaged shell and box without interval gap for upmost durability.



**CX5219**



Extraordinary air pressure regulator for automatically adjusting the inner box pressure in accordance with the ambient air pressure but also keep the box free from water invasion (auto air regulator applied for selected models only).



Enhanced haulage handle, made of integrative-shaping plastic, endures higher bending force; over-molded rubber top and side retraceable handles provide slip-free and comfort grip (selected models only).

Egg-crate and pick-and-pluck foam for making custom-fit protection in line with any shape of equipment.



Meet FAA regulation for carry-on luggage on flight (selected models only).



### CX5219

Box has a name plate holder for an easy identification to the owner of the case.



Over-molded rubber handle for greatest comfort.



### Optional

Padded divider set is alternative protection coming with 5 large and 6 small flexible dividers, turning the case in much well-organized way. Hook-and-loop fastener on dividers makes it easily to manage the limited space.



### CX01PD





CROXS case			
			
Item	CX7326	CX5219	CX3815
Exterior Size / L x W x H (cm)	80.2 x 52.1 x 30.1	57.0 x 35.5 x 22.5	42.0 x 35.5 x 16.8
Interior Size / L x W x H (cm)	73.6 x 45.7 x 26.9	52.1 x 29.1 x 19.2	38 x 26.7 x 15.7
Net Weight (kgs)	9.3	5.4	2.3
Air Pressure Regulator	Auto	Auto	Auto
Carry-on to fly	-	⊙	⊙
Haulage Handle	⊙	⊙	-
Wheel	⊙	⊙	-
Protective Foam	3 pre-cut + 1 egg-crate		
Protection classification	ASTM / IP67		

CROXS case			
			
Item	CX4818	CX3009	CX1870
Exterior Size / L x W x H (cm)	51.5 x 41.5 x 20.0	33.0 x 28.0 x 12.0	21.0 x 16.7 x 9.0
Interior Size / L x W x H (cm)	48.5 x 35.5 x 18.6	26.8 x 15.3 x 8	18.4 x 12.1 x 7.8
Net Weight (kgs)	4.3	1.6	0.6
Air Pressure Regulator	Manual	Manual	Manual
Carry-on to fly	⊙	⊙	⊙
Haulage Handle	-	-	-
Wheel	-	-	-
Protective Foam	1 pre-cut + 2 egg-crate		
Protection classification	ASTM / IP67		