


542M Master Cine Stand
542M-J Japanese Type

L 135cm **H** 325cm **W** 11kg
 53.1" **H_{max}** 128" 24.2lbs

FEET 138cm **↓** 40kg **T** V / VJ
 54.3" **max** 88.2lbs

 KC-100S (Optional)


2 risers, 3 sections.
 Dia.: 45mm, 40mm, 35mm
 Leg : 25mm x 25mm
 With 1 leveling leg
 Chrome plated steel



542MB Master Cine Stand Black
542MB-J Japanese Type Black

L 135cm **H** 325cm **W** 11kg
 53.1" **H_{max}** 128" 24.2lbs

FEET 138cm **↓** 40kg **T** V / VJ
 54.3" **max** 88.2lbs

 KC-100S (Optional)

2 risers, 3 sections.
 Dia.: 45mm, 40mm, 35mm
 Leg : 25mm x 25mm
 With 1 leveling leg
 Powder Coated Steel

543M Master High Cine Stand
543M-J Japanese Type

L 145cm **H** 420cm **W** 12kg
 57.1" **H_{max}** 165.4" 26.5lbs

FDB 140cm **↓** 40kg **T** V / VJ
 55.1" **max** 88.2lbs

C KC-100S (Optional)

3 risers, 4 sections.
 Dia.: 45mm, 40mm, 35mm, 30mm
 Leg: 25mm x 25mm
 With 1 leveling leg
 Chrome plated steel



543MB Master High Cine Stand Black
543MB-J Japanese Type Black

L 145cm **H** 420cm **W** 12kg
 57.1" **H_{max}** 165.4" 26.5lbs

FDB 140cm **↓** 40kg **T** V / VJ
 55.1" **max** 88.2lbs

C KC-100S (Optional)

3 risers, 4 sections.
 Dia.: 45mm, 40mm, 35mm, 30mm
 Leg: 25mm x 25mm
 With 1 leveling leg
 Powder Coated Steel

Kupo 546M K stand is Junior Boom Stand with one leveling leg. In addition to be a standard light stand for general use, it can be easy convert to a junior boom arm by pulling the central tube out from the stand. With sturdily constructed by chrome plated steel, square-end legs and strong pivoting collar, Kupo K stand offers most stable supporting for a medium sized light fixture with a softbox or umbrella. One leveling leg is also equipped to stabilize the load on uneven terrain. The optional casters, KC-100S, is recommended to easily move the K stand to facilitate location shoots.



546M K Stand-Junior Boom Stand

L 160cm
63" **H** 510cm
max 200" **W** 15kg
33lbs

T 134cm
52.8" **max** 30kg
66lbs **T** V

C KC-100S (Optional)

3 Risers 4 sections

Dia.: 45mm, 40mm, 35mm, 30mm

Leg: 25X 25mm

Chrome Plated Steel

With one leveling leg

Min extension: 155cm (61")

Max loading: 30 kg (66 lbs)

Max extension: 280cm (110")

Max loading: 8 kg (17.6 lbs)



Standard light stand



Boom arm stand



Pivoting collar with adjustable lever handle allows K stand to be easy used either as standard light stand or boom



The neck with dia. 14mm hole in the end of tube for counterweight



Triple function stand top included junior receiver and baby pin & receiver

185M Low Mighty Baby Stand

L 57cm 22.4" **H** 101cm 39.8" **W** 3.6kg 7.92lbs

max 48cm 18.9" **max** 15kg 33lbs **T** A

2 risers, 3 sections

Dia. 35mm, 30mm, 25mm

Leg: 22mmX22mm

Chrome plated steel

With 1 leveling leg

Designed to be used for heavy light head at low level.



310M Low Mighty Stand 310M-J Japanese Type

L 92cm 36.2" **H** 205cm 80.7" **W** 7.8kg 17.2lbs

max 104cm 40.9" **max** 35kg 77.2lbs **T** V / VJ

C KC-100S (Optional)

2 risers, 3 sections.

Dia.: 45mm, 40mm, 35mm

Leg: 25mm x 25mm

Chrome plated steel

With 1 leveling leg