


KUPO Grip Head (also Gobohead) is specially designed to be mounted on C-stand with its 16mm socket. Four different size and rotatable V jaw allows you to attach the scrims, flags, cutters, reflectors and backdrops to meet various requirements of lighting control.



More Features:

1. Aluminum casting body with 16mm mounting hole for a 5/8" (Baby) stud or stand top.
2. Non-slip, Non stick aluminum braking pad instead of fiber which would be deteriorate offering positive lock and precise control.
3. Large size T-handle is ergonomic design for biggest torque - follow right hand rule.
4. Four V jaws for different dia. (5/8", 1/2", 3/8", 1/4") pins or tube.
5. V jaws with special tooth design offers a better grip.
6. Steel material makes the located pin sturdier than aluminum casting pin.
7. Stainless steel central bolt with fixed solid pin provides most durable construction.
8. Dedicated bearing added to reinforce the torque for stronger grip.
9. A solid retaining pin to fix the casting body with stainless steel central bolt.



**KCP-200B**  
2-1/2" Grip Head - Black



**KCP-200**  
2-1/2" Grip Head - Silver



**KCP-200B/P - J**  
Grip Head with  
17mm Spigot - Black/ Silver



Dots & fingers are able to be firmly mounted with the 1/4" V jaw.



A solid retaining pin to fix the casting body with stainless steel central bolt.

**KCP-210 2-1/2" Grip Head with 16mm Baby Spigot-Sliver**

Grip head with fixed baby pin which allows one lighting fixture or accessory mounted on this grip head without the need for additional lighting stands.



**KCP-230 2.5" Grip Head with a Swivel 16mm Baby Spigot-Sliver**

Swivel 5/8" (16 mm) baby pin designed for wide angle of fixed solution. Also 16mm baby receiver ( inside) and 28 mm junior pin ( outside) attached to grip head for fitting into various stand tops or mounting accessories.



**KCP-280B Double Gag Grip Head 2-1/2"**

Constructed by two sets of gripheads discs mounted on a steel plate with a dia.10 mm rod for 135mm length.



**KCP-290B Gag Grip Head 2-1/2"**

Offers a second grip heads for more applications. Comes with a rubber pad covered the ehwheel handle provides most comfortable and better grip.



Grip arm, (or boom arm or gobo arm) for C stand is normally used in cooperated with a KCP-200, is designed to support anything from small flash head, moonlights, scrims and flag, to large tungsten units and muslin backdrop. The dia. 5/8" arm is processed in matte finish increasing the friction when works with grip head V jaw and reduce the reflection on set. An extra reinforced roller pin to fix the extension arm with grip head tightly.



**KCP-220B**  
20" Extension Grip Arm - Black

**KCP-220**  
20" Extension Grip Arm - Silver



**KCP-240B**  
40" Extension Grip Arm - Black

**KCP-240**  
40" Extension Grip Arm - Silver



Extra reinforced roller pin to fix extension arm.

**KCP-241 40" Extension Grip Arm with Baby Hex Pin-Silver**

It features the arm terminated with a hex baby pin which is suitable for mounting a lighting fixture or anything with baby receiver.



Baby hex pin

Kupo Flag frame is made by dia. 5mm spring steel with a dia. 9.5mm mounting pin.

**KCP-F1824 Flag Frame 18" x 24"**  
**KCP-F2436 Flag Frame 24" x 36"**



**KS-022 Grip Arm Pin**

5/8" steel baby pin, with 5" (12.7cm) length, is designed for fitting into the grip head and can be connected to the lighting fixtures or other grip accessories.



Kupo Open frame is made by dia. 6.3mm spring steel with a dia. 9.5mm mounting pin.

**KCP-OF1824 Open Frame 18" x 24"**  
**KCP-OF2436 Open Frame 24" x 36"**



**KCP-215 Grip Arm Support**

This is specially designed for giving the most support for grip arm very easy. It is constructed by an extendable aluminum column and comes with the ball joint pivot clamp in one end and with an angle-adjustable attachments in the other end. The attachments is also easy to be fitted into KCP-930 which is lightweight aluminum clamp for quickly coupling the stand tube from 35mm to 50mm with its spring locking design. With this functional support arm, not only loading weight of grip arm could be increased but sliding problem could be solved.



**L** 56cm 22"    **H** 78cm 30.7"    **W** 0.5kg 1.1lbs



Tiny clamp with double ball



Length adjustable knob



3-4 way clamp adapter

**KCP-216 Boom Arm Support**

Similar to KCP-215P but gives the support for boom arm instead of grip arm. This is constructed by an two sections extendable aluminum column and terminated with angle-adjustable attachment in both end. With connecting with two 4 way clamps KCP-950 on the stand tube and boom arm, the loading weight of boom arm is significantly increased.



**L** 56cm 22"    **H** 78cm 30.7"    **W** 0.5kg 1.1lbs

